

THE NETHERLANDS
(N E D E R L A N D)

COMMUNICATION

Concerning ⁽¹⁾:

- ~~approval granted~~
- ~~approval extended~~
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitively discontinued~~

of a type of CNG/LNG component pursuant to Regulation number 110.

Approval number: E4*110R02/00*0369*01

1. CNG/LNG component considered:

- ~~Container(s) or cylinder(s)~~⁽⁺⁾
- ~~Tank(s) or vessel(s)~~⁽⁺⁾
- ~~Pressure indicator~~⁽⁺⁾
- ~~Pressure relief valve~~⁽⁺⁾
- ~~Automatic valve(s)~~⁽⁺⁾
- ~~Excess flow valve~~⁽⁺⁾
- ~~Gas tight housing~~⁽⁺⁾
- ~~Pressure regulator(s)~~⁽⁺⁾
- ~~Non return valve(s) or check valve(s)~~⁽⁺⁾
- ~~Pressure relief device (PRD)(temperature triggered)~~⁽⁺⁾
- ~~Manual valve~~⁽⁺⁾
- ~~Flexible fuel lines~~⁽⁺⁾
- ~~Filling unit or receptacle~~⁽⁺⁾
- ~~Gas injector(s)~~⁽⁺⁾
- ~~Gas flow adjuster~~⁽⁺⁾
- ~~Gas/air mixer~~⁽⁺⁾
- ~~Electronic control unit~~⁽⁺⁾
- ~~Pressure and temperature sensor(s)~~⁽⁺⁾
- ~~CNG filter(s)~~⁽⁺⁾
- ~~PRD (pressure triggered)~~⁽⁺⁾
- ~~Fuel rail~~⁽⁺⁾
- ~~Heat exchanger(s)/vaporizer(s)~~⁽⁺⁾
- ~~Natural gas detector(s)~~⁽⁺⁾



- LNG filling receptacle(s)⁽⁺⁾
- LNG pressure control regulator(s)⁽⁺⁾
- LNG pressure and/or temperature sensor(s)⁽⁺⁾
- LNG manual valve(s)⁽⁺⁾
- LNG automatic valve(s)⁽⁺⁾
- LNG non return valve(s)⁽⁺⁾
- LNG pressure relief valve(s)⁽¹⁾
- LNG excess flow valve(s)⁽⁺⁾
- LNG fuel pump(s)⁽⁺⁾
-

2. Trade name or mark : LNG Pressure relief valve NG900x series
Brand names: RegO Products
Macro Technologies
3. Manufacturer's name and address : Engineered Controls International LLC
100 RegO Drive 27244
Elon, North Carolina
United States of America
4. If applicable, name and address of manufacturer's representative :
5. Submitted for approval on : October 2014
6. Technical service responsible for conducting approval tests : Kiwa Nederland B.V.
P.O. Box 137
7300 AC Apeldoorn
The Netherlands
7. Date of report issued by that service : February 2nd 2018
8. Number of report issued by that service : 127072_180101491
9. Approval : ~~granted/refused/extended/withdrawn~~⁽¹⁾
10. Reason(s) of extension (if applicable) : Addition of the NG9002T series relief valve to the already homologated NG9008M Series. The manually opening handle is omitted from the NG9008M Series relief valve. The new developed type NG9002T Series relief valve is made from the same material as the already homologated type and there are no further design changes.
Referring to the latest Supplement version of the ECE Regulation 110 the E4 marking number for the LNG Pressure relief valve NG900x series has been changed to E4-110R-020369-L. According to Agreement 1958 Rev.3 the certificate number is updated to:
E4*110R02/00*0369*01



Approval number: E4*110R02/00*0369*01

11. Place : Zoetermeer
12. Date : 16-FEB-2018
13. Signature :



The image shows a handwritten signature in blue ink over a circular official stamp. The stamp features a coat of arms with a crown on top and the letters 'RDW' at the bottom. The signature is written in a cursive style.

14. The documents filed with the application or extension of approval can be obtained upon request.

⁽¹⁾ Strike out what does not apply.

ADDENDUM

1. Additional information concerning the type approval of a type of ~~CNG~~/LNG components pursuant to Regulation number 110.
 - 1.1. Natural Gas Storage System
 - 1.1.1. Container(s) or cylinder(s) (for CNG system)
 - 1.1.1.1. Dimensions :
 - 1.1.1.2. Material :
 - 1.1.2. Tank(s) or vessel(s) (for LNG system)
 - 1.1.2.1. Capacity :
 - 1.1.2.2. Material :
 - 1.2. Pressure indicator
 - 1.2.1. Working pressure(s) ⁽²⁾ :
 - 1.2.2. Material :
 - 1.3. Pressure relief valve (discharge valve)
 - 1.3.1. Working pressure(s) ⁽²⁾ :
 - 1.3.2. Material :
 - 1.4. Automatic valve(s)
 - 1.4.1. Working pressure(s) ⁽²⁾ :
 - 1.4.2. Material :
 - 1.5. Excess flow valve
 - 1.5.1. Working pressure(s) ⁽²⁾ :
 - 1.5.2. Material :
 - 1.6. Gas-tight housing
 - 1.6.1. Working pressure(s) ⁽²⁾ :
 - 1.6.2. Material :
 - 1.7. Pressure regulator(s)
 - 1.7.1. Working pressure(s) ⁽²⁾ :
 - 1.7.2. Material :
 - 1.8. Non-return valve(s) or check valve(s)
 - 1.8.1. Working pressure(s) ⁽²⁾ :
 - 1.8.2. Material :
 - 1.9. Pressure relief device (temperature triggered)
 - 1.9.1. Working pressure(s) ⁽²⁾ :
 - 1.9.2. Material :
 - 1.10. Manual valve
 - 1.10.1. Working pressure(s) ⁽²⁾ :
 - 1.10.2. Material :
 - 1.11. Flexible fuel lines
 - 1.11.1. Working pressure(s) ⁽²⁾ :
 - 1.11.2. Material :



- 1.12. Filling unit or receptacle
 - 1.12.1. Working pressure(s) ⁽²⁾ :
 - 1.12.2. Material :

- 1.13. Gas injector(s)
 - 1.13.1. Working pressure(s) ⁽²⁾ :
 - 1.13.2. Material :

- 1.14. Gas flow adjuster
 - 1.14.1. Working pressure(s) ⁽²⁾ :
 - 1.14.2. Material :

- 1.15. Gas/air mixer
 - 1.15.1. Working pressure(s) ⁽²⁾ :
 - 1.15.2. Material :

- 1.16. Electronic control unit
 - 1.16.1. Basic software principles :

- 1.17. Pressure and temperature sensor(s)
 - 1.17.1. Working pressure(s) ⁽²⁾ :
 - 1.17.2. Material :

- 1.18. CNG filter(s)
 - 1.18.1. Working pressure(s) ⁽²⁾ :
 - 1.18.2. Material :

- 1.19. PRD (pressure triggered)
 - 1.19.1. Working pressure(s) ⁽²⁾ :
 - 1.19.2. Material :

- 1.20. Fuel rail(s)
 - 1.20.1. Working pressure(s) ⁽²⁾ :
 - 1.20.2. Material :

- 1.21. Heat Exchanger(s)/Vaporizer(s)
 - 1.21.1. Working pressure(s) ⁽²⁾ :
 - 1.21.2. Material :

- 1.22. Natural gas detector(s)
 - 1.22.1. Working pressure(s) ⁽²⁾ :
 - 1.22.2. Material :

- 1.23. LNG filling receptacle(s)
 - 1.23.1. Working pressure(s) ⁽²⁾ :
 - 1.23.2. Material :

- 1.24. LNG pressure control regulator(s)
 - 1.24.1. Working pressure(s) ⁽²⁾ :
 - 1.24.2. Material :

- 1.25. LNG pressure and/or temperature sensor(s)
 - 1.25.1. Working pressure(s) ⁽²⁾ :
 - 1.25.2. Material :



- 1.26. LNG manual valve(s)
- 1.26.1. Working pressure(s) ⁽²⁾ :
- 1.26.2. Material :

- 1.27. LNG automatic valve(s)
- 1.27.1. Working pressure(s) ⁽²⁾ :
- 1.27.2. Material :

- 1.28. LNG non-return valve(s)
- 1.28.1. Working pressure(s) ⁽²⁾ :
- 1.28.2. Material :

- 1.29. LNG pressure relief valve(s)
- 1.29.1. Working pressure(s) ⁽²⁾ : 151 kPa up to 2860 kPa
- 1.29.2. Material : See report 127072_180101491

- 1.30. LNG excess flow valve(s)
- 1.30.1. Working pressure(s) ⁽²⁾ :
- 1.30.2. Material :

- 1.31. LNG fuel pump(s)
- 1.31.1. Working pressure(s) ⁽²⁾ :
- 1.31.2. Material :

⁽²⁾ Specify the tolerance

